

Oferta Sisteme de Supraveghere

Bucuresti, Sector 5, Str. Prelungirea Ghencea, Nr. 143 A
 Tel/Fax: 0040 021 319.38.38 Mobil: 0729.980.090; 0729.980.080
 Cod fiscal: R10656712 Cont: RO79RNCB507500004610001 BCR Ghencea.
 Web: www.omnitech.ro; E-mail: office@omnitech.ro

>> SUPRAVEGHERE VIDEO		pret
:: CAMERE DE SUPRAVEGHERE VIDEO ::		USD
Camere Video ALB NEGRU CAM'S Box & Waterproof		
Cam-310B CCD LG - BW Box Camera 1/3", 420 Tv Line, 0.2Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		39
Cam-510B CCD Sony Super Had - BW Box Camera 1/3", 420 Tv Line, 0.05Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		61
Cam-710B CCD Sony Super Had - BW Box Camera 1/3", 600 Tv Line, 0.1Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		108
Cam-590B CCD Sony ExView - BW Box Camera 1/3", 420 Tv Line, 0.003Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		125
Cam-790B CCD Sony ExView - BW Box Camera 1/3", 600 Tv Line, 0.005Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		159
Cam-312D CCD LG - BW Dome Camera 1/3", 420 Tv Line, 0.2Lux/F1.2		32
Cam-512D CCD Sony Super Had - BW Dome Camera 1/3", 420 Tv Line, 0.05Lux/F1.2		52
Cam-712D CCD Sony Super Had - BW Dome Camera 1/3", 600 Tv Line, 0.1Lux/F1.2		103
Cam-592D CCD Sony ExView - BW Dome Camera 1/3", 420 Tv Line, 0.003Lux/F1.2		121
Cam-792D CCD Sony ExView - BW Dome Camera 1/3", 600 Tv Line, 0.005Lux/F1.2		153
Cam-317 CCD Sony Super Had - BW Waterproof Camera With IR, 420 Tv Line, 0Lux, 6mm/F1.6, 24 Led		84
Cam-319 CCD Sony Super Had - BW Waterproof Camera With IR, 600 Tv Line, 0Lux, 6mm/F1.6, 24 Led		109
Cam-210CP CCD LG - BW Miniature Camera 1/3", 420 Tv Line, 0.2Lux/F1.2		40
Cam-710CP CCD Sony Super Had - BW Miniature Camera 1/3", 600 Tv Line, 0.05Lux/F1.2		92
Camere Video Color CAM'S Box & Waterproof		
USD		
Cam-220C CCD Sharp - Color Camera 1/4", 420 Tv Line, 1.0Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		65
Cam-240C CCD Sharp - Color Camera 1/4", 420 Tv Line, 0.8Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		77
Cam-280C CCD Sharp - Color Camera 1/4", 480 Tv Line, 0.1Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		110
Cam-420C CCD Sony Super Had - Color Camera 1/3", 420 Tv Line, 0.5Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		85
Cam-496C CCD Sony Super Had - Color Camera 1/3", 420 Tv Line, 0.01Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		104
Cam-480C CCD Sony ExView - Color Camera 1/3", 420 Tv Line, 0.01Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		154
Cam-498C CCD Sony Super Had - Color Camera 1/3", 480 Tv Line, 0.3Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		167
Cam-497C CCD Sony ExView - Color Camera 1/3", 420 Tv Line, 0.001Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		197
Cam-499C CCD Sony ExView - Color Camera 1/3", 480 Tv Line, 0.003Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		229
Cam-620C CCD Sony Super Had - Color Camera 1/3", 480 Tv Line, 1Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		144
Cam-680C CCD Sony ExView - Color Camera 1/3", 480 Tv Line, 0.05Lux/F1.2, 12V (include picior si lentila intre 4-16 mm)		169
Cam-212D CCD Sharp - Color Camera 1/4", 420 Tv Line, 1.0Lux/F1.2, Dome Case		53
Cam-212DP CCD Sharp - Color Camera 1/4", 420 Tv Line, 1.0Lux/F1.2, Pir Case		70
Cam-412D CCD Sony Super Had - Color Camera 1/3", 420 Tv Line, 0.5Lux/F1.2, Dome Case		77
Cam-412DP CCD Sony Super Had - Color Camera 1/3", 420 Tv Line, 0.5Lux/F1.2, Pir Case		89
Cam-411 CCD Sharp - Color Camera 1/4", 420 Tv Line, 1.0Lux/F1.2, 12V, Waterproof Bullet 3		65
Cam-411CR CCD Sharp - Color Camera 1/4", 420 Tv Line, 1.0Lux/F1.2, 12V, Car Rear View		65
Cam-815M CCD Sharp - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 3.8mm/F1.6 Lens, 12 Led		85
Cam-815 CCD Sharp - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 6mm/F1.6 Lens, 24 Led		93
Cam-815D2 CCD Sharp - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 6mm/F1.6 Lens, 4 Super Led IR 40 metri		135
Cam-817M CCD Sony Super Had - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 6mm/F1.6 Lens, 12 Led		105
Cam-817 CCD Sony Super Had - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 6mm/F1.6 Lens, 24 Led		115
Cam-817D2 CCD Sony Super Had - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 6mm/F1.6 Lens, 4 Super Led IR 40 metri		150
Cam-819 CCD Sony ExView - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 6mm/F1.6 Lens, 24 Led		187
Cam-825P CCD Sony Super Had - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 6mm/F1.6 Lens, 220 Volti, IR 30 metri		170
Cam-826P CCD Sony Super Had - Color Waterproof Camera With IR, 420 Tv Line, 0Lux, 25mm/F2.0 Lens, 220 Volti, IR 50 metri		191
Cam-410CP CCD Sharp - Color Miniature CCD Camera 1/4", 420 Tv Line, 1.0Lux/F1.2		71
Cam-810CP CCD Sony - Color Miniature CCD Camera 1/3", 420 Tv Line, 0.8Lux/F1.2		86
Cam-820HP CCD Sony IT - Color ZOOM Camera 1/4, 22x Optical Zoom, +460 Tv Line, 0.8Lux, 22xF3.9-85.8mm, 12v		262
Cam-821HP CCD Sony IT - Color ZOOM Camera 1/4, 22x Optical Zoom, +460 Tv Line, 0.01Lux, 22xF3.9-85.8mm, 12v		320
Cam-880HP CCD Sony IT - Color ZOOM Camera 1/4, 22x Optical Zoom, 10x Digital Zoom,+460 Tv Line, 0.8Lux, 22xF3.9-85.8mm, 12v		366
Cam-990HP CCD Sony IT ExView Had - Color ZOOM Camera 1/4, 22x Optical Zoom, 10x Digital Zoom,+460 Tv Line, 0.01Lux, 22xF3.9-85.8mm, 12v		435
:: SPEED DOME ::		
USD		
Low Speed Pan/Tilt Dome (necesita controler Cam-C302, 24V output)		
Cam-212DPT Mini Pan/Tilt Low Speed Dome,360 pan, 90 tilt, 1/4" Sharp Color CCD, 3.6 mm, 420linii TV,1 Lux, Interior		167
Cam-412DPT Mini Pan/Tilt Low Speed Dome,360 pan, 90 tilt, 1/3" Sony SuperHad Color CCD, 3.6 mm, 420linii TV,0.5 Lux, Interior		195
Cam-612DPT Mini Pan/Tilt Low Speed Dome,360 pan, 90 tilt, 1/3" Sony SuperHad Color CCD, 3.6 mm, 480linii TV,0.8 Lux, Interior		235
Cam-482DPT Mini Pan/Tilt Low Speed Dome,360 pan, 90 tilt, 1/3" Sony ExViewHad Color CCD, 3.6 mm, 420linii TV,0.01 Lux, Interior		265
Cam-682DPT Mini Pan/Tilt Low Speed Dome,360 pan, 90 tilt, 1/3" Sony ExViewHad Color CCD, 3.6 mm, 480linii TV,0.05 Lux, Interior		294

High Speed Pan/Tilt/Zoom Dome (controlabil software - PelcoD Protocol)		
SD-618W 6", P/T/Z, 18X optical, 12X digital, 1/4" CCD Sony ExView Had, 480 Tv Lines, 47" wide end to 2.7" tele end, 0, 7L □		1320
SD-622W 6", P/T/Z, 22X optical, 12X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1320
SD-627W 6", P/T/Z, 27X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1348
SD-618B 6", P/T/Z, 18X optical, 12X digital, 1/4" CCD Sony ExView Had, 480 Tv Lines, 47" wide end to 2.7" tele end, 0, 7L □		1320
SD-618DC 6", P/T/Z, 18X optical, 12X digital, 1/4" CCD Sony ExView Had, 480 Tv Lines, 47" wide end to 2.7" tele end, 0, 7L □		1342
SD-622B 6", P/T/Z, 22X optical, 12X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1320
SD-622DC 6", P/T/Z, 22X optical, 12X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1342
SD-627B 6", P/T/Z, 27X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1348
SD-627DC 6", P/T/Z, 27X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1353
SD-618DS 6", P/T/Z, 18X optical, 12X digital, 1/4" CCD Sony ExView Had, 480 Tv Lines, 47" wide end to 2.7" tele end, 0, 7L □		1342
SD-618DL 6", P/T/Z, 18X optical, 12X digital, 1/4" CCD Sony ExView Had, 480 Tv Lines, 47" wide end to 2.7" tele end, 0, 7L □		1342
SD-622DS 6", P/T/Z, 22X optical, 12X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1342
SD-622DL 6", P/T/Z, 22X optical, 12X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1342
SD-627DS 6", P/T/Z, 27X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1353
SD-627DL 6", P/T/Z, 27X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1353
SD-718C 7", P/T/Z, 18X optical, 12X digital, 1/4" CCD Sony ExView Had, 480 Tv Lines, 47" wide end to 2.7" tele end, 0, 7L □		1342
SD-718W 7", P/T/Z, 18X optical, 12X digital, 1/4" CCD Sony ExView Had, 480 Tv Lines, 47" wide end to 2.7" tele end, 0, 7L □		1342
SD-722C 7", P/T/Z, 22X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1342
SD-722W 7", P/T/Z, 22X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1342
SD-727C 7", P/T/Z, 27X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1353
SD-727W 7", P/T/Z, 27X optical, 10X digital, 1/4" CCD Sony Super Had, 480 Tv Lines, 47" wide end to 3.0" tele end, 0, 1L D/N		1353
:: LENTILE ::		USD
Cam-0216F Fixed Iris Lens Normal type Lenses 2,1mm, 1/3", 171 grade		22
Cam-0256F Fixed Iris Lens Normal type Lenses 2,5mm, 1/3", 107.1 grade		20
Cam-0286F Fixed Iris Lens Normal type Lenses 2,8mm, 1/3", 95.6 grade		17
Cam-0416F Fixed Iris Lens Normal type Lenses 4mm, 1/3", 70.6 grade		6
Cam-0616F Fixed Iris Lens Normal type Lenses 6mm, 1/3", 48.1 grade		6
Cam-0816F Fixed Iris Lens Normal type Lenses 8mm, 1/3", 33.4 grade		6
Cam-1216F Fixed Iris Lens Normal type Lenses 12mm, 1/3", 22.1 grade		6
Cam-1616F Fixed Iris Lens Normal type Lenses 16mm, 1/3", 17.1 grade		6
Cam-2514F Fixed Iris Lens Normal type Lenses 25mm, 1/3", 20 grade		23.5
Cam-0x12 Manual Iris Lens 4, 6, 8, 12, 16mm, 1/3", CS		18
Cam-2514C Manual Iris Lens 25mm, 1/3", CS		37
Cam-3514C Manual Iris Lens 35mm, 1/3", CS		51
Cam-5014C Manual Iris Lens 50mm, 1/3", CS		92
Cam-0x12A Auto Iris Lens 4, 6, 8, 12, 16mm, 1/3", CS		33
Cam-2514A Auto Iris Lens 25mm, 1/3", CS		78
Cam-3514A Auto Iris Lens 35mm, 1/3", CS		88
Cam-5014A Auto Iris Lens 50mm, 1/3", CS		126
Cam-06036M Zoom Lens 6.0-36mm, 1/3, CS, 3 Motors		135
Cam-08551M Zoom Lens 8.5-51mm, 1/3, CS, 3 Motors		165
Cam-06060M Zoom Lens 6.0-60mm, 1/3, CS, 3 Motors		309
Cam-06096M Zoom Lens 6.0-96mm, 1/3, CS, 3 Motors		445
Cam-02812V Vari-Focal Manual Iris Lens, 2.8-12mm, 1/3", CS, 95.6-22.1 grade		59
Cam-0615V Vari-Focal Manual Iris Lens, 6.0-15mm, 1/3", CS, 48.1-18.6 grade		31
Cam-0358V Vari-Focal Manual Iris Lens, 3.5-8mm, 1/3", CS, 81.9-35 grade		25
Cam-05100V Vari-Focal Manual Iris Lens, 5.0-100, 1/3", CS, 50.1-2.8 grade		141
Cam-02812A Vari-Focal Auto Iris Lens(DC Drive), 2.8-12mm, CS, 95.6-22.1 grade		115
Cam-0358A Vari-Focal Auto Iris Lens(DC Drive), 3.5-8mm, CS, 81.9-35 grade		44
Cam-0615A Vari-Focal Auto Iris Lens(DC Drive), 6.0-15mm, CS, 48.1-18.6 grade		51
Cam-1230A Vari-Focal Auto Iris Lens(DC Drive), 12-30mm, CS, 21.9-9.6 grade		83
Cam-0660A Vari-Focal Auto Iris Lens(DC Drive), 6.0-60mm, CS, 49.3-4.7 grade		121
Cam-05100A Vari-Focal Auto Iris Lens(DC Drive), 5.0-100mm, CS, 50.1-2.8 grade		165
:: PLACI DE SUPRAVEGHERE SI ACHIZITIE VIDEO ::		USD
GV-250/01, 1 video, 1 audio, 15/12 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		82
GV-250/02, 2 video, 1 audio, 15/12 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		107
GV-250/04, 4 video, 1 audio, 15/12 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		132
GV-250/06, 6 video, 1 audio, 15/12 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		165
GV-250/08, 8 video, 1 audio, 15/12 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		173
GV-250/12, 12 video, 1 audio, 15/12 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		189
GV-250/16, 16 video, 1 audio, 15/12 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		206
GV-600/04, 4 video, 1 audio, 30/25 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		239
GV-600/06, 6 video, 1 audio, 30/25 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		330
GV-600/08, 8 video, 1 audio, 30/25 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		363
GV-600/10, 10 video, 1 audio, 30/25 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		396
GV-600/12, 12 video, 1 audio, 30/25 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		429
GV-600/14, 14 video, 1 audio, 30/25 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		462
GV-600/16, 16 video, 1 audio, 30/25 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		495
GV-650/04, 4 video, 2 audio, 60/50 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		330
GV-650/08, 8 video, 2 audio, 60/50 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		495
GV-650/12, 12 video, 2 audio, 60/50 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		577
GV-650/16, 16 video, 2 audio, 60/50 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		660
GV-800/04, 4 video, 4 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		396
GV-800/08, 8 video, 4 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		742
GV-800/12, 12 video, 4 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		817
GV-800/16, 16 video, 4 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		908
GV-1120/08, Combo Card, Real Time Display 400 fps, 8 video, 8 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		998
GV-1120/12, Combo Card, Real Time Display 400 fps, 12 video, 12 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,050
GV-1120/16, Combo Card, Real Time Display 400 fps, 16 video, 16 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,087
GV-1240/08, Combo Card, Real Time Display 400 fps, 8 video, 8 audio, 240/200 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,009
GV-1240/16, Combo Card, Real Time Display 400 fps 16 video, 16 audio, 240/200 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,195
GV-1480/16, Combo Card, Real Time Display 400 fps 16 video, 16 audio, 480/400 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,345
GV-1120X/08, Combo Card, PCI Expres, Real Time Display 400 fps, 8 video, 8 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,131
GV-1120X/12, Combo Card, PCI Expres, Real Time Display 400 fps, 12 video, 12 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,225
GV-1120X/16, Combo Card, PCI Expres, Real Time Display 400 fps, 16 video, 16 audio, 120/100 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,319
GV-1240X/08, Combo Card, PCI Expres, Real Time Display 400 fps, 8 video, 8 audio, 240/200 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,125
GV-1240X/16, Combo Card, PCI Expres, Real Time Display 400 fps 16 video, 16 audio, 240/200 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,402
GV-1480X/16, Combo Card, PCI Expres, Real Time Display 400 fps 16 video, 16 audio, 480/400 fps total NTSC/PAL, format .avi, MPEG 4, Win 2000/XP		1,584

:: VIDEO INTARFOANE :: WINERS	USD
WS-150 camera cu 1 buton (max 61 apartamente)	125
WS-150 monitor (unitate interior)	115
WS-150P panou extensie 6 butoane	81
WS- 140 set, 4 fire, intercom	163
WS- 120 set, 2 fire	175
WS- 240 set, COLOR	319
WS-148,set, 4 fire name plate/pinhole metal camera	154
WS- 128, 2 fire	165
Modul memorie 32 cadre WS- 140/WS-148	94
Monitor suplimentar WS-140-150/ WS 148	106\99
Extensie audio WS 140	33
:: SISTEME SUPRAVEGHERE VIDEO ::	USD
Sistem de calcul pentru supraveghere video Celeron 2000 Mhz, Hard disk 40Gb, monitor 17", Win XP Home	467
Sistem de calcul pentru supraveghere video Celeron 331, Hard disk 160Gb, monitor 17", Win XP Home	539
Sistem de calcul pentru supraveghere video Celeron 2400 Mhz, Hard disk 120Gb, monitor 17", Win XP Home	559
:: SISTEME DE SUPRAVEGHERE :: 4 PORTURI	USD
Sistem de calcul pentru supraveghere video Celeron 2000 Mhz 4 porturi, 16 frame/sec, monitor 17", Win XP Home	620
Sistem de calcul pentru supraveghere video Celeron 2400 Mhz 4 porturi, 25 frame/sec, monitor 17", Win XP Home	797
:: SISTEME DE SUPRAVEGHERE :: 8 PORTURI	USD
Sistem de calcul pentru supraveghere video Celeron 2400 Mhz 8 porturi, 50 frame/sec, monitor 17", Win XP Home	1,074
:: SISTEME DE SUPRAVEGHERE :: 16 PORTURI	USD
Sistem de calcul pentru supraveghere video Celeron 2400 Mhz, 16 porturi, 100 frame/sec, monitor 17", Win XP Home	1,495
:: ACCESORII ::	USD
Cam 15IR-Iluminator Infrarosu,12V, aprox 15 m	22
Cam 30IR-Iluminator Infrarosu,12V,aprox 30 m	41
Cam 45IR-Iluminator Infrarosu,12V, aprox 45 m	62
Cam 100IR-Iluminator Infrarosu,12V, aprox 100 m	129
Carcasa Aluminiu, Exterior, 88x98x310mm	21
Carcasa Aluminiu, Exterior, Termostatata, 220V, 107x118x410mm	55
Set Carcasa Plastic Cu Picior, Interior, 70x125x300mm	21
Picior Carcasa Aluminiu, 210mm	7
Picior Carcasa Plastic, 150mm	3
Quad color, 4 canale, 12V	151
Quad color, 8 canale, 12V, management	191
Pan / Tilt Device (suport mobil controlabil pt 1 camera / carcasa) 220V, Exterior, suporta 18 Kg	149
Cam-C302A Controler Pan / Tilt, 220V in/out, 1 Canal	29
Cam-C302B Controler Pan / Tilt, 220V in/out, 5 Canale	42
Cam-C302C Controler Pan / Tilt, 220V in/ 24V out, 1 Canal	32
Cam-C302D Controler Pan / Tilt, 220V in/ 24V out, 5 Canale	48
Cablu CCTV BNC RG 58 50 Ohmi	0.35
Cablu bifilar alimentare 2x 0,75	0.30
Mufa BNC RG 58 sertizabila	0.35
Mufa BNC RG 58 filet	0.9
Mufa BNC tip I	0.35
Mufa alimentare	0.45
Alimentator 12v 500 ma curent stabilizat	13
Amplificator semnal BNC	69

Prețurile sunt exprimate in USD si EURO si nu includ T.V.A. Plata se face in lei . Oferta sisteme de supraveghere se poate modifica fără notificare prealabilă. Pentru cantități mari prețurile se pot negocia.